



Test Report/ Certificate of Analysis

Date of Report Dec 11, 2025
To: Protixa
From: AxisPharm, LLC
Certificate ID Number: 11Dec2025-05

Results reported by: Lab Technician
Ning Yang

Review/Approved by: 
QA Director
Dawei Yue

Sample Received: Date: 12/08/2025
Receiving Condition: ☒ Acceptable ☐ Other: _____
Storage Condition: ☐ Room temperature ☐ -20°C ☐ -80°C
☒ Other: __ 0 °C ____

Sample Name: DSIP 8mg; Label mg Claim: 8mg; Brand
Name: Protixa; Lot#: DSIP8N1125; MFD: 11/2025; BBD:
11/2026

Method(s): LCMS

Procedure(s): Laboratory Activity Date: 12/11/2025
Results:

Sample Name	Net Weight Measured	MW (g/mol)	Detected	UV Purity (208nm) (%)
DSIP 8mg	8.1	848.8	850.4 [M+H]	>99

Salts, counterions, and sugars used in nasal spray are not considered as impurities.

Conclusion: The product comes with DSIP 8.1mg with purity >99.0%.

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.