Test Report/ Certificate of Analysis

Date of Report	May 27, 2026
To:	Protixa 9276 Scranton Rd, Suite 500, San Diego, CA 92121
From:	AxisPharm, LLC
Certificate ID Number:	27May2026-04
Results reported by:	Lab Technician Ning Yang
Review/Approved by:	QA Director Dawei Yue
Sample Received:	Date: 05/21/2026 Receiving Condition: ☒Acceptable ☐Other: _____ Storage Condition: ☒ Room temperature ☐ -20°C☐ -80°C ☐Other: _____ Sample Name: Selank/Semax 15/15mg; Brand Name: Protixa; Lot#: SLSM1515N0526 ; MFD: 05/2026; BBD: 05/2027
Method(s):	LCMS

Procedure(s):

Results:



Sample Name	Net Weight Measured	MW (g/mol)	Detected	UV Purity (208nm) (%)
Selank/Semax 15/15mg	14.4/14.8mg	751.9/813.9	753.0/814.7[M+H]	99.4

Endotoxin Results:

Sample Name	Endotoxin Testing Value (EU/mg)
Selank/Semax 15/15mg	0.53

Salts and sugars that serves as fillers in injectables, capsules, or tablets are not considered as impurities.

Conclusion: The product comes with Selank/Semax 14.4/14.8mg at purity 99.4%.

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.