



Test Report/ Certificate of Analysis



Date of Report July 28, 2026
To: Cell Wellness
From: AxisPharm, LLC

Certificate ID Number: 28Jul26-03
Results reported by: Archer Liu


Review/Approved by: 
QA Director
Dawei Yue

Sample Received: Date: 07/28/2026
Receiving Condition: Nasal Spray
Storage Condition: Room temperature

Sample Name: Selank/Semax; Brand Name: Protixa; Lot#:
SLSM1515N0726; MFD: 07/2026; BBD: 07/2027

Method(s): LCMS and LAL Endotoxin Assay

Results:



Sample Name	Net Weight Measured (mg)	MW (g/mol)	Detected	UV Purity (%)
Selank/Semax	14.7/15.1	751.9/813.93	753.2[M+H]/814.7[M+H]	>99.3%

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.



Test Report/ Certificate of Analysis



Endotoxin Results:

Sample Name	Endotoxin Testing Value (EU/mg)
Selank/Semax	0.055

Salts and sugars that serves as fillers in injectables/nasal sprays/oral stripes are not considered as impurities. Conclusion: The samples comes with Selank/Semax, 14.7/15.1mg and with purity of >99.3% by UV.

AxisPharm, LLC

Results only apply to tested Research Use Only samples within Test Report as received. Not for use in humans or animals. Analytical data apply only to the batch tested and do not indicate suitability for diagnostic or therapeutic use. Any unauthorized alteration, reproduction, or relabeling of this COA renders it invalid.